

DARFON ELECTRONICS CORP.

NO.21, GONGYE 2ND RD., ANNAN DISTRICT, TAINAN CITY 709, TAIWAN (R.O.C.)

Report No.: KA/2008/10163

Date

: 2008/01/11

Page : 1 of 9

The following sample(s) was/were submitted and identified by/on behalf of the client as :

Sample Description

MULTI-LAYER CERAMIC INDUCTORS(MLCI)

Color

SILVER/GRAY

Sample Receiving Date

2008/01/04

Testing Period

2008/01/04 TO 2008/1/11

Test Result(s)

: - Please see the next page(s) -

Katherine Ho / Supervisor Signed for and on behalf of **SGS Taiwan Limited**

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sqs.com.ncbe/www.sqs.com.ncbe



DARFON ELECTRONICS CORP.

NO.21, GONGYE 2ND RD., ANNAN DISTRICT, TAINAN CITY 709, TAIWAN

(R.O.C.)

Report No.: KA/2008/10163

Date

: 2008/01/11

Page : 2 of 9

? <u>1888/1011 8841 181 1788 97811 9811</u> 98114 88110 1811 1888 0 1810 1801 8018 9718 1811 1801

Test Result(s)

PART NAME NO.1

: MULTI-LAYER CERAMIC INDUCTORS(MLCI)

Test Item (s)	Unit	Method	MDL	Result
				No. 1
Cadmium (Cd)	mg/kg	With reference to US EPA Method	2	n.d.
	}	3052 for Cadmium Content.		
		Analysis was performed by ICP-		
		AES.		
Hexavalent Chromium Cr(VI)	mg/kg	With reference to US EPA Method	2	n.d.
		3060A & 7196A for Hexavalent		
		Chromium for non-metallic		
		samples. Analysis was performed		
	_	by UV/Vis Spectrometry.		
Mercury (Hg)	mg/kg	With reference to US EPA Method	2	n.d.
		3052 for Mercury Content. Analysis		
		was performed by ICP-AES.		
Lead (Pb)	mg/kg	With reference to US EPA Method	2	n.d.
		3052 for Lead Content. Analysis		
		was performed by ICP-AES.		
Beryllium (Be)	mg/kg	With reference to US EPA 3052.	2	n.d.
		Analysis was performed by ICP-		
		AES.		
Chlorinated Paraffin	%	With reference to US EPA 3540C.	0.01	n.d.
(C10~C13)	1	Analysis was performed by		
(CAS NO.: 010871-26-2)		GC/ECD.		
Formaldehyde	mg/kg	With reference to DIN 53315.	3	n.d.
(CAS NO.: 000050-00-0)		Analysis was performed by		
		HPLC/DAD.		
Mirex	mg/kg	With reference to US EPA 3540C.	4	n.d.
(CAS NO.: 002385-85-5)	1	Analysis was performed by		
		GC/ECD.		
PCBs	mg/kg	With reference to US EPA 3540C.	0.5	n.d.
(Polychlorinated Biphenyls)		Analysis was performed by		
(CAS NO.: 001336-36-3)		GC/ECD.		
Polychlorinated Naphthalene	mg/kg	With reference to US EPA 3540C.	5	n.d.
		Analysis was performed by		
		GC/ECD.		

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是據權本公司訂定之通用服務條款所製作發放,謝注意此條款列印於背面,亦可在www.sgs.com中查閱。將本公司之義務,免費,管轄權皆明確規範之。除非另有證明,此報告結果循對檢驗之樣品負責。本報告未經本公司费面許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、僞造、寬改皆屬非法,違犯者將會被依法追訴。



DARFON ELECTRONICS CORP.

NO.21, GONGYE 2ND RD., ANNAN DISTRICT, TAINAN CITY 709, TAIWAN (R.O.C.)

Report No.: KA/2008/10163 Date

: 2008/01/11

Page : 3 of 9

T TOCOGRAM CONTRACTOR WERE WERE ORANGE CONTRACTOR OF THE CONTRACTOR ORANGE WAS A CONTRACTOR OF THE CONTRACTOR

	Τ			Result	
Test Item (s)	Unit	Method	MDL	No. 1	
PCP	mg/kg	With reference to DIN 53313.	0.05	n.d.	
(Pentachlorophenol)		Analysis was performed by	00		
(CAS NO.: 004901-51-3)		GC/ECD.			
PCTs	mg/kg	With reference to US EPA 3540C.	0.5	n.d.	
(Polychlorinated Terphenyls)		Analysis was performed by			
		GC/ECD.			
PVC	**	Analysis was performed by	-	Negative	
(CAS NO.: 9002-86-2)		FTIR/ATR and FLAME Test.			
Sum of PBBs			-	n.d.	
Monobromobiphenyl			5	n.d _@	
Dibromobiphenyl			5	n.d.	
Tribromobiphenyl			5	n.d.	
Tetrabromobiphenyl		With reference to US EPA 3540C	5	n.d.	
Pentabromobiphenyl	mg/kg	for PBBs/PBDEs Content. Analysis	5	n.d.	
Hexabromobiphenyl		was performed by GC/MS.	5	n.d₄	
Heptabromobiphenyl			5	n.d.	
Octabromobiphenyl			5	n.d.	
Nonabromobiphenyl			5	n.d.	
Decabromobiphenyl			5	n.d.	
Sum of PBDEs (Mono to	· ·	1	-	n.d.	
Nona)(Note 4)	_				
Monobromobiphenyl ether	_	With reference to US EPA 3540C for PBBs/PBDEs Content. Analysis was performed by GC/MS.	5	n.d.	
Dibromobiphenyl ether	_		5	n.d.	
Tribromobiphenyl ether	_		5	n.d.	
Tetrabromobiphenyl ether			5	n.d _e	
Pentabromobiphenyl ether	mg/kg		5	n.d.	
Hexabromobiphenyl ether	_		5	n.d.	
Heptabromobiphenyl ether	_		5	n.d.	
Octabromobiphenyl ether	_		5	n.d.	
Nonabromobiphenyl ether			5	n.d.	
Decabromobiphenyl ether	_		5	n.d.	
Sum of PBDEs (Mono to Deca)			5277	n.d.	
Organic-TIN compounds					
Tributyl Tin(TBT)	mg/kg	With reference to DIN 38407-13.	0.03	n.d.	
(CAS NO.: 000688-73-3)		Analysis was performed by GC/FPD.			
Triphenyl Tin(TphT)	mg/kg	With reference to DIN 38407-13.	0.03	n.d.	
(CAS NO.: 000668-34-8)		Analysis was performed by		1	
		GC/FPD.			

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. LiveHelbedfartamonia (Talsification of the Company. LiveHelbedfartamonia) rezummans. LiveHelbedfartamonia (LiveHelbedfartamonia) results (LiveHelbedfartam



DARFON ELECTRONICS CORP.

NO.21, GONGYE 2ND RD., ANNAN DISTRICT, TAINAN CITY 709, TAIWAN (R.O.C.)

Report No.: KA/2008/10163 Date : 2008/01/11

Page : 4 of 9

TYDDIGITI BYLLINGIN KALINDIY DALIL ANTIK KARAN YARA ORKO KARA DIKOD KIK KORK

Test Item (s)	Unit	Method	MDL	Result	
<u> </u>	Ollic	Interior	IVIDE	No. 1	
Asbestos					
Anthrophyllite	%	As per NIOSH 9000 method.	1	Negative	
(CAS NO.017068-78-9)		Analysis was performed by XRD.			
Crocidolite	%	As per NIOSH 9000 method.	1	Negative	
(CAS NO.012001-28-4)		Analysis was performed by XRD.			
Amosite	%	As per NIOSH 9000 method.	1	Negative	
(CAS NO.012172-73-5)		Analysis was performed by XRD.			
Tremolite	%	As per NIOSH 9000 method.	1	Negative	
(CAS NO.014567-73-8)		Analysis was performed by XRD.			
Chrysotile	%	As per NIOSH 9000 method.	1	Negative	
(CAS NO.012001-29-5)		Analysis was performed by XRD.			
Actinolite	%	As per NIOSH 9000 method.	1	Negative	
(CAS NO.013768-00-8)	I	Analysis was performed by XRD.			
HFC (Hydrofluorcarbon)	mg/kg	With reference to US EPA 8260.	1	n.d.	
		Analysis was performed by GC/MS]	
	1	linked Headspace.		 	
PERFLUOROCARBON(PFC)					
F14	mg/kg	With reference to US EPA 8260.	1	n.d.	
		Analysis was performed by GC/MS		l	
		linked Headspace.			
Fluorocarbon 116	mg/kg	With reference to US EPA 8260.	1	n.d.	
		Analysis was performed by GC/MS			
		linked Headspace.		j	
Freon 218	mg/kg	With reference to US EPA 8260.	1	n.d.	
		Analysis was performed by GC/MS			
		linked Headspace.			
Decafluorobutane	mg/kg	With reference to US EPA 8260.	1	n.d.	
		Analysis was performed by GC/MS		1	
	ı	linked Headspace.			
Freon C 318	mg/kg	With reference to US EPA 8260.	1	n.d.	
		Analysis was performed by GC/MS		1	
	į	linked Headspace.		į į	
Perfluoro-1-butene	mg/kg	With reference to US EPA 8260.	1	n.d.	
<u>-</u>	13.43	Analysis was performed by GC/MS	, ,	====	
		linked Headspace.			
Perfluoroisobutene	mg/kg	With reference to US EPA 8260.	1	n.d.	
	1 3.13	Analysis was performed by GC/MS			
	1	linked Headspace.			

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是權権本公司訂定之通用服務條款所製作發放,請注意此條款列印於背面,亦可在www.sgs.com中查閱。將本公司之義務,免責,管轄權皆明確規範之。除非另有說明,此報告結果僅對檢驗之樣品負責。本報告未經本公司舊個許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、偽造、篡改皆屬非法,追犯者將會被依法追訴。



DARFON ELECTRONICS CORP.

NO.21, GONGYE 2ND RD., ANNAN DISTRICT, TAINAN CITY 709, TAIWAN

(R.O.C.)

Report No.: KA/2008/10163

Date

: 2008/01/11

: 5 of 9 Page

TO A DECEMBER OF THE REPORT OF THE PROPERTY OF

Test Item (s)				Result	
	Unit	Method	MDL	No. 1	
1,4-Dihydrooctafluorobutane		With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.	1	n.d.	
Nonafluoro-2-(trifluoromethyl)butane	mg/kg	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.	1	n.d.	
Perfluoro-n-pentane	mg/kg	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.	1	n.d.	
2-Perfluoromethylpentane	mg/kg	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.	1	n.d.	
Perfluorohexane	mg/kg	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.	1	n.d.	
Phthalates					
DBP(Di-butyl phthalate) (CAS No.000084-74-2)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	0.003	n.d.	
DEHP(Di-(2-ethylhexyl phthalate)) (CAS No.000117-81-7)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	0.003	n.d.	
DIDP(Di-isodecyl phthalate) (CAS No.026761-40-0)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	0.003	n.d.	
DINP(Di-isononyl phthalate) (CAS No.028553-12-0)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	0.003	n.d.	
BBP(Benzyl butyl phthalate) (CAS No.000085-68-7)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	0.003	n.d.	
DNOP(Di-n-octyl phthalate) (CAS No.000117-84-0)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	0.003	n.d.	
DHP(Di-hexyl phthalate) (CAS No.000084-75-3)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	0.003	n.d.	
AZO					
1):4-AMINODIPHENYL (CAS NO.92-67-1)	mg/kg	With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sqs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是連循本公司訂 定之通用服務條款所製作發放,請注意此條款列印於背面,亦可在www.sqs.com中查閱。將本公司之義務,免責,管轄權皆明確規範之。條非另有設明,此報告結果 定之通用服務條款所製作發放,請注意此條款列印於背面,亦可在www.sqs.com中查閱。將本公司之義務,免責,管轄權皆明確規範之。條非另有設明,此報告結果 使封檢驗之樣品負責。本報告未經本公司费面許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、僞造、寬改皆屬非法,違犯者將會被依法追訴。



DARFON ELECTRONICS CORP.

NO.21, GONGYE 2ND RD., ANNAN DISTRICT, TAINAN CITY 709, TAIWAN (R.O.C.)

Report No.: KA/2008/10163

Date : 2008/01/11 : 6 of 9 Page

		<u> </u>		
Test Item (s)	Unit	Method	MDL	Result
2):BENZIDINE	mg/kg	With reference to LMBG 82.02-2.	3	No. 1 n.d.
(CAS NO.92-87-5)	mg/kg	Analysis was performed by GC/MS.	,	11.4.
3):4-CHLORO-O-TOLUIDINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.95-69-2)	mg/kg	Analysis was performed by GC/MS.	3	II.Ga
4):2-NAPHTHYLAMINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.91-59-8)	ilig/kg	Analysis was performed by GC/MS.	, ,	II.U.
5):O-AMINO-AZOTOLUENE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.97-56-3)	mg/kg	Analysis was performed by GC/MS.	0	11.94
6):2-AMINO-4-NITROTOLUENE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.99-55-8)	mg/kg	Analysis was performed by GC/MS.	0	II.M.
7):P-CHLOROANILINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.106-47-8)	mg/kg	Analysis was performed by GC/MS.		11.45
8):2,4-DIAMINOANISOLE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.615-05-4)	mg/ng	Analysis was performed by GC/MS.	Ŭ	11.0.
9):4,4-	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
DIAMINODIPHENYLMETHANE	mg/ng	Analysis was performed by GC/MS.		11.45
(CAS NO.101-77-9)		That yello was portormed by come.		
10):3,3-DICHLOROBENZIDINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.91-94-1)	9/1.9	Analysis was performed by GC/MS.		11.45
11):3,3-DIMETHOXYBENZIDINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.119-90-4)		Analysis was performed by GC/MS.		, ,,,,,,
12):3,3-DIMETHYLBENZIDINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.119-93-7)		Analysis was performed by GC/MS.		
13):3,3-DIMETHYL-	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
4,4-DIAMINODIPHENYLMETHA	0 0	Analysis was performed by GC/MS.	-	
(CAS NO.838-88-0)				
14):P-CRESIDINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(2-METHOXY-5-METHYLANILINE)		Analysis was performed by GC/MS.		~~
(CAS NO.120-71-8)		8		
15):4,4-METHYLENE-BIS-	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(2-CHLORANILINE)		Analysis was performed by GC/MS.		
(CAS NO.101-14-4)				
16):4,4-OXYDIANILINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.101-80-4)		Analysis was performed by GC/MS.		,
17):4,4-THIODIANILINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.139-65-1)		Analysis was performed by GC/MS.		
18):O-TOLUIDINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.95-53-4)		Analysis was performed by GC/MS.		

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, torgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司可定义通用服務條款所製作發放,額注意此條款列印於背面,亦可在www.sgs.com中查閱。將本公司之簽務,免責,管轄權皆明確規範之。除非另有說明,此報告結果僅對檢驗之樣品負責。本報告未經本公司暨面許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、僞造、實改皆屬非法,違犯者將會被依法追訴。



DARFON ELECTRONICS CORP.

NO.21, GONGYE 2ND RD., ANNAN DISTRICT, TAINAN CITY 709, TAIWAN (R.O.C.)

Report No.: KA/2008/10163 Date : 2008/01/11

Page : 7 of 9

				<u> </u>
Test Item (s)	Unit	Method	MDL	Result No. 1
19):2-4-TOLUYLENDIAMINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.95-80-7)		Analysis was performed by GC/MS.		
20):2,4,5-TRIMETHYLANILINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.137-17-7)		Analysis was performed by GC/MS.		
21):O-ANISIDINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.90-04-0)		Analysis was performed by GC/MS.		i
22):P-AMINOAZOBENZENE	mg/kg	With reference to LMBG 82.02-Z.	3	n.d.
(CAS NO.60-09-3)		Analysis was performed by GC/MS.		
23):2,4-XYLIDINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d,
(CAS NO.95-68-1)		Analysis was performed by GC/MS.		
24):2,6-XYLIDINE	mg/kg	With reference to LMBG 82.02-2.	3	n.d.
(CAS NO.87-62-7)		Analysis was performed by GC/MS.		
Halogen				
Halogen-Chlorine (CI)	mg/kg	With reference to BS EN 14582.	50	n.d.
(CAS NO.: 007782-50-5)		Analysis was performed by IC		
		method for Chlorine content.	<u> </u>	
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582.	50	n.d.
(CAS NO.: 007782-41-4)	ľ	Analysis was performed by IC		
		method for Fluorine content.	<u> </u>	
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582.	50	n.d.
(CAS NO.: 007726-95-6)	1	Analysis was performed by IC	1.	1
		method for Bromine content.		
Halogen-Iodine (I)	mg/kg	With reference to BS EN 14582.	50	n.d.
(CAS NO.: 007553-56-2)		Analysis was performed by IC		
		method for lodine content.		

- 1. mg/kg = ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. According to 2005/717/EC DecaBDE is exempt.
- 5. " " = Not Regulated
- 6. " --- " = Not Conducted
- 7. ** = Qualitative analysis (No Unit)
- 8. Negative = Undetectable / Positive = Detectable
- 9. The MDL is 5ppm for the single compound of CP
- 10. Amending for the 22nd Council Directive 76/769/EEC notified under document 2005/84/EC, total concentration of three compounds DEHP, DBP and BBP shall not be greater than 0.1% and total concentration of three compounds DINP, DIDP and DNOP shall not be greater than 0.1%.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司打定之通用服務條款所製作發放,請注意此條款列印於背面,亦可在www.sgs.com中宣閱。將本公司之義務,免責、管轄權皆明確規範之。除非另有說明、此報告結果 隨對檢驗之樣品負責。本報告未經本公司哲面許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、僞造、寬改皆屬非法,違犯者將會被依法追訴。



DARFON ELECTRONICS CORP. NO.21, GONGYE 2ND RD., ANNAN DISTRICT, TAINAN CITY 709, TAIWAN (R.O.C.)


Report No.: KA/2008/10163 Date : 2008/01/11

Page : 8 of 9

Per requirements of SONY QAR-05-002:

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) Name of the person who made measurement: Hungming Li
- 3) Name of the person in charge of measurement: George Huang

Flow Chart of Digestion for Plastic -EPA3052 for Pb · Cd (residue left)



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sqs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司了定之通用服務條款所製作發放,請注意此條款列印於背面,亦可在www.sqs.com中查閱。將本公司之義務,免責、管轄權皆明確規範之。除非另有說明,此報告結果僅對檢驗之樣品負責。本報告未經本公司售面許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、僞造、簋改皆屬非法,違犯者將會被依法追訴。



DARFON ELECTRONICS CORP.

NO.21, GONGYE 2ND RD., ANNAN DISTRICT, TAINAN CITY 709, TAIWAN (R.O.C.)

Report No.: KA/2008/10163 Date : 2008/01/11

Page :9 of 9



** End of Report **

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at <a href="https://www.sqs.com.new.google.goog